Page: 1 Printed: 06/02/2021 Revision: 06/02/2021

Supersedes Revision: 08/18/2015

# 1. Product and Company Identification

Product Code: 510-CVB

Product Name: 510 Cove Base Hardener - Part B 510 Cove Base Hardener - Part B Trade Name:

**Company Name:** Key Resin / Flowcrete **Phone Number:** +1 (513)943-4225

4050 Clough Woods Dr.

Batavia, OH 45103

Chemtrec (USA) **Emergency Contact:** (800)424-9300

> Chemtrec (International) +1 (703)527-3887

Industrial floor coatings. Intended Use:

### 2. Hazards Identification

Skin Corrosion/Irritation, Category 1A

Serious Eye Damage/Eye Irritation, Category 1

Acute Toxicity: Skin, Category 4 Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Oral, Category 4





Danger

Warning

H314 - Causes severe skin burns and eye damage. **GHS Hazard Phrases:** 

H318 - Causes serious eye damage.

H332 - Harmful if inhaled. H302 - Harmful if swallowed.

**GHS Precaution Phrases:** P262 - Do not get in eyes, on skin, or on clothing.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P273 - Avoid release to the environment.

P302+350 - IF ON SKIN: Gently wash with plenty of soap and water. P361 -**GHS Response Phrases:** 

Remove/Take off immediately all contaminated clothing. P363 - Wash contaminated

clothing before reuse.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P311 - Call a

POISON CENTER or doctor/physician.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. P313 - Get medical advice/attention.

GHS Storage and Disposal

P404 - Store in a closed container. P501 - Dispose of contents/container to local, state,

and federal authority requirements.

OSHA Regulatory Status:

Phrases:

This material is classified as hazardous under OSHA regulations.

Printed: 06/02/2021 Revision: 06/02/2021

Page: 2

Supersedes Revision: 08/18/2015

Potential Health Effects

Corrosive to the eyes and may cause severe damage including blindness. Contact

(Acute and Chronic):

causes severe skin irritation and possible burns.

Inhalation:

Vapors are extremely irritating and corrosive. Irritating to the nose, throat and respiratory

tract.

Skin Contact:

Harmful in contact with skin. Can cause chemical burn.

Eye Contact:

Corrosive/irritation to eyes. Causes eye burns.

Ingestion:

Harmful if swallowed. This product may produce corrosive damage to the gastrointestinal tract if it is swallowed. Ingestion may produce burns to the lips, oral cavity, upper airway,

esophagus and possibly the digestive tract.

# 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	60 - 80 %
111-40-0	Diethylenetriamine	15 - 25 %
107-41-5	2,4-Pentanediol, 2-Methyl-	1.0 - 10 %
80-05-7	4,4'-Isopropylidenediphenol	1.0 - 10 %
25068-38-6	4,4- (1-methylethylidene) bis with (chloromethyl) oxirane polymer	1.0 - 10 %

### 4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. If experiencing respiratory symptoms: Get medical attention

immediately.

In Case of Skin Contact:

In case of contact, immediately wash skin with soap and copious amounts of water. Remove contaminated clothing and shoes. Get medical attention if irritation develops or

In Case of Eye Contact:

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Get medical attention

immediately.

In Case of Ingestion:

If swallowed, wash out mouth with water provided person is conscious. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Get medical attention immediately.

Signs and Symptoms Of

Exposure:

Eyes: Symptoms may include discomfort or pain, excess blinking and tear production,

with marked redness and swelling of the conjunctiva.

Skin: Can cause severe skin burns. Symptoms may include redness, edema, drying,

defatting and cracking of the skin.

Inhalation: Vapors are irritating to the respiratory system, may cause throat pain and

cough.

Printed: 06/02/2021 Revision: 06/02/2021

Page: 3

Supersedes Revision: 08/18/2015

5. Fire Fighting Measures

Flash Pt: > 200.00 F (93.3 C) Method Used: Pensky-Marten Closed Cup

Explosive Limits: LEL: NE UEL: NE

Autoignition Pt: No data.

Suitable Extinguishing Media: Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing

Do not use a direct water stream, which may spread fire.

Media:

Fire Fighting Instructions: Protective Equipment: Wear self-contained breathing apparatus and protective clothing

to prevent contact with skin and eyes.

Flammable Properties and

Combustible material: may burn but does not ignite readily.

Hazards:

#### 6. Accidental Release Measures

Protective Precautions,
Protective Equipment and
Emergency Procedures:

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Where splashing is possible, full chemically resistant protective clothing, and boots are required.

**Environmental Precautions:** 

Prevent entry into waterways, sewers, basements or confined areas.

Steps To Be Taken In Case

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL.

Material Is Released Or

Absorb with sand or vermiculite and place in closed containers for disposal. Ventilate the

area.

# 7. Handling and Storage

Precautions To Be Taken in

Provide adequate ventilation. Do not breathe vapor. Do not get in eyes, on skin or on

Handling:

clothing.

Precautions To Be Taken in

Store away from: Acids, Oxidizers, ketones.

Storing:

Spilled:

Other Precautions: Wash thoroughly after handling.

# 8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No data.	No data.	No data.
111-40-0	Diethylenetriamine	No data.	TLV: 1 ppm	No data.
107-41-5	2,4-Pentanediol, 2-Methyl-	No data.	TLV: 25 ppm CEIL: 121 mg/m3	No data.
80-05-7	4,4'-Isopropylidenediphenol	No data.	No data.	No data.
25068-38-6	4,4- (1-methylethylidene) bis with (chloromethyl) oxirane polymer	No data.	No data.	No data.

Respiratory Equipment (Specify Type):

Use local exhaust ventilation to maintain airborne concentrations below the TLV, or if values are unknown. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures demand it. A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

Eye Protection: Safety glasses, or goggles.

Protective Gloves: Chemical resistant gloves.

Licensed to Key Resin Company: MIRS MSDS, (c) A V Systems, Inc.

Printed: 06/02/2021 Revision: 06/02/2021

Page: 4

Supersedes Revision: 08/18/2015

Other Protective Clothing: Impervious clothing. Where splashing is possible, full chemically resistant protective

clothing, safety glasses or face shield and boots are required.

**Engineering Controls** 

Good general ventilation should be sufficient to control airborne levels. Safety shower

(Ventilation etc.): and eye bath.

Work/Hygienic/Maintenance

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash

Practices:

thoroughly after handling.

**Environmental Exposure** 

Controls:

Avoid runoff into storm sewers and ditches which lead to waterways.

# 9. Physical and Chemical Properties

Physical States: [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Odor: ammonia-like. Appearance: Liquid. Yellowish.

Melting Point:NEBoiling Point:NEDecomposition Temperature:NE

Autoignition Pt: No data.

Flash Pt: > 200.00 F (93.3 C) Method Used: Pensky-Marten Closed Cup

Explosive Limits: LEL: NE UEL: NE

Specific Gravity (Water = 1): ~ .963

Density: ~ 8.03 LB/GL

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): NE
Evaporation Rate: NE
Solubility in Water: NE
Saturated Vapor NE

Saturated Vapor Concentration:

Percent Volatile: N.D.
VOC / Volume: NE

# 10. Stability and Reactivity

**Reactivity:** Avoid: acids, alkalis, oxidizing agents.

Stability: Unstable [ ] Stable [ X ]

**Conditions To Avoid -**

Extreme temperatures.

Instability:

Incompatibility - Materials To Strong oxidizing agents, acids, ketones.

Avoid:

Hazardous Decomposition Or Fire may produce irritating, corrosive and/or toxic gases.

Byproducts:

Hazardous decomposition products formed under fire conditions.

Carbon monoxide, Carbon dioxide, Nitrogen oxides.

Possibility of Hazardous

Polymerization:

Will occur [ ] Will not occur [ X ]

**Conditions To Avoid -** Will not undergo hazardous polymerization in normal storage conditions.

Hazardous Reactions:

Printed: 06/02/2021 Revision: 06/02/2021

Page: 5

Supersedes Revision: 08/18/2015

# 11. Toxicological Information

Toxicological Information: May cause sensitization by skin contact.

Irritation or Corrosion: Corrosive! Damages skin and eyes.

Symptoms related to

Skin: Contact with substance may cause severe burns to skin. Symptoms may include

**Toxicological** 

redness, edema, drying, defatting and cracking of the skin.

Characteristics:

Eyes: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Permanent eye damage including

blindness could result.

Inhalation: Inhalation of vapors/fumes causes respiratory irritation with throat discomfort,

coughing or difficulty breathing.

Chronic Toxicological

Effects:

Skin sensitization.

# 12. Ecological Information

General Ecological Avoid release to the environment. Do not empty into drains. May be hazardous to the

**Information:** environment if released in large quantities.

Results of PBT and vPvB

assessment:

No data available.

Persistence and

Not readily biodegradable.

Degradability:

Bioaccumulative Potential: No data available.

Mobility in Soil: not reported, unknown.

# 13. Disposal Considerations

Waste Disposal Method: Incinerate or dispose of unused material, residues and containers in a licensed facility in

accordance with all applicable local, state and federal regulations. Do not discharge

substance/product into sewage system.

# 14. Transport Information

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Amines, Liquid, Corrosive n.o.s. (Modified Polyamine) (Diethylenetriamine)

**DOT Hazard Class:** 8 CORROSIVE

UN/NA Number: UN2735 Packing Group: III

**Precautionary Label:** Corrosive! Damages skin and eyes. Vapors may be harmful to the respiratory tract.

May be harmful if swallowed.



#### MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Amines, Liquid, Corrosive n.o.s. (Modified Polyamine)

UN Number: 2735 Packing Group: III

Hazard Class: 8 - CORROSIVE

IMDG EMS Number: FA,SB IMDG MFAG Number:

IMDG EMS Page: No

**AIR TRANSPORT (ICAO/IATA):** 

ICAO/IATA Shipping Name: Amines, Liquid, Corrosive n.o.s. (Modified Polyamine)

Licensed to Key Resin Company: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format

Page: 6 Printed: 06/02/2021 Revision: 06/02/2021

Supersedes Revision: 08/18/2015

# 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No	No	No
111-40-0	Diethylenetriamine	No	No	No
107-41-5	2,4-Pentanediol, 2-Methyl-	No	No	No
80-05-7	4,4'-Isopropylidenediphenol	No	No	Yes
25068-38-6	4,4- (1-methylethylidene) bis with (chloromethyl) oxirane polymer	No	No	No

This material meets the EPA [X] Yes [ ] No Acute (immediate) Health Hazard 'Hazard Categories' defined [X] Yes [ ] No Chronic (delayed) Health Hazard

for SARA Title III Sections [ ] Yes [X] No Fire Hazard

311/312 as indicated:

[ ] Yes [X] No Sudden Release of Pressure Hazard

[ ] Yes [X] No Reactive Hazard

**Regulatory Information:** SARA Section 311/312: Acute Health Hazard.

#### 16. Other Information

**Revision Date:** 06/02/2021

HMIS:

**Hazard Rating System:** 

HEALTH **FLAMMABILITY** PHYSICAL 0 **PPE** Х



Additional Information About CA=CIRCA NA=NOT AVAILABLE NE=NOT ESTABLISHED NR=NOT REGULATED This Product: NP= NOT APPLICABLE PR=PROPRIETARY TS=TRADE SECRET ?=UNKNOWN.

Company Policy or

Disclaimer:

The information contained in this MSDS is taken from sources believed to be accurate as of the date hereof; however the Key Resin Company makes no expressed or implied

warranty in respect to the accuracy of the information or the suitability of the

recommendations, and assumes no liabilities to any user thereof.