SAFETY DATA SHEET

514-Regular Cure Hardener- Part B

Printed: 08/12/2020 Revision: 08/12/2020

Page: 1

Supersedes Revision: 05/05/2020

1. Product and Company Identification

Product Code: 514- RCB

Product Name: 514-Regular Cure Hardener- Part B

Company Name: Key Resin Company Phone Number: 4050 Clough Woods Dr. +1 (513)943-4225

Batavia, OH 45103

Emergency Contact: Chemtrec (USA) (800)424-9300

Chemtrec (International) +1 (703)527-3887

Intended Use: Industrial floor coatings.

2. Hazards Identification

Skin Sensitization, Category 1B

Skin Corrosion/Irritation, Category 1A

Serious Eye Damage/Eye Irritation, Category 1

Acute Toxicity: Oral, Category 4
Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Skin, Category 4
Respiratory Sensitization, Category 1B
Aquatic Toxicity (Acute), Category 3
Aquatic Toxicity (Chronic), Category 2









Danger

Warning

Danger

GHS Hazard Phrases: H302 - Harmful if swallowed.

H312 - Harmful in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H402 - Harmful to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

GHS Precaution Phrases: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P285 - In case of inadequate ventilation wear respiratory protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P310 -

Immediately call a POISON CENTER or doctor/physician.

P302+352 - IF ON SKIN: Wash with plenty of soap and water. P333+313 - If skin irritation or rash occurs, seek medical advice/attention. P363 - Wash contaminated

clothing before reuse.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P342+311 - If experiencing respiratory symptoms call a

POISON CENTER or doctor/physician.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P391 - Collect spillage.

Printed: 08/12/2020 Revision: 08/12/2020

Page: 2

Supersedes Revision: 05/05/2020

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container to local, state, and federal authority requirements.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Corrosive to eyes and skin. Causes burns. May be harmful if swallowed. Irritating to respiratory system. Do not breathe vapor or mist. Do not ingest. Do not get in eyes or on skin or clothing. Use only with adequate ventilation. Keep container tightly closed and

sealed until ready for use. Wash thoroughly after handling. Aspiration hazard if

swallowed. Can enter lungs and cause damage.

Inhalation: Corrosive to respiratory tract. May cause respiratory sensitization.

Skin Contact: Contact with substance may cause severe burns to skin. Symptoms may include

redness, edema, drying, defatting and cracking of the skin.

Eye Contact: Corrosive/irritation to eyes. Causes eye burns.

Ingestion: Harmful if swallowed. This product may produce corrosive damage to the gastrointestinal

tract if it is swallowed. Ingestion may produce burns to the lips, oral cavity, upper airway,

esophagus and possibly the digestive tract.

Medical Conditions Generally Skin disorders, Respiratory disorders, Eye disorders, Skin Allergies.

Aggravated By Exposure:

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	15 - 25 %
NA	Polyamine (Trade Secret)	15 - 25 %
100-51-6	Benzenemethanol	15 - 25 %
84852-15-3	Phenol, 4-nonyl-, branched	10 - 15 %
2855-13-2	Isophoronediamine	10 - 15 %
68609-08-5	Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer	<10 %
69-72-7	Salicylic acid	<0.50 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. If experiencing respiratory symptoms: Get medical attention

immediately.

In Case of Skin Contact: In case of contact, immediately wash skin with soap and copious amounts of water.

Remove contaminated clothing and shoes. Get medical attention if irritation develops or

persists.

In Case of Eye Contact: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes.

Assure adequate flushing by separating the eyelids with fingers. Get medical attention

immediately.

In Case of Ingestion: If swallowed, wash out mouth with water provided person is conscious. Do not induce

vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or

having convulsions. Get medical attention immediately.

Signs and Symptoms Of

Exposure:

Eyes: Symptoms may include discomfort or pain, excess blinking and tear production,

with marked redness and swelling of the conjunctiva.

Skin: Can cause severe skin burns. Symptoms may include redness, edema, drying,

defatting and cracking of the skin.

Licensed to Key Resin Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Printed: 08/12/2020 Revision: 08/12/2020

Page: 3

Supersedes Revision: 05/05/2020

Inhalation: Vapors are irritating to the respiratory system, may cause throat pain and

cough.

5. Fire Fighting Measures

> 200.00 F (93.3 C) Method Used: Pensky-Marten Closed Cup Flash Pt:

Explosive Limits: LEL: NE UEL: NE

Autoignition Pt: No data.

Suitable Extinguishing Media: CO2, dry chemical, dry sand, alcohol-resistant foam. Do not use a direct water stream, which may spread fire. Unsuitable Extinguishing

Media:

Protective Equipment: Wear self-contained breathing apparatus and protective clothing Fire Fighting Instructions:

to prevent contact with skin and eyes.

Flammable Properties and

Combustible material: may burn but does not ignite readily.

Hazards:

6. Accidental Release Measures

Protective Precautions, **Protective Equipment and Emergency Procedures:**

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Where splashing is possible, full chemically resistant protective clothing, and boots are required.

Absorb with sand or vermiculite and place in closed containers for disposal. Ventilate the

Prevent entry into waterways, sewers, basements or confined areas. **Environmental Precautions:**

Steps To Be Taken In Case

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL.

Material Is Released Or Spilled:

area.

7. Handling and Storage

Precautions To Be Taken in

Handling:

Provide adequate ventilation. Wear all personal protection required in section 8.

Precautions To Be Taken in

Storing:

Keep container tightly closed in a dry and well-ventilated place. Store away from

incompatible material.

Wash thoroughly after handling. Other Precautions:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No data.	No data.	No data.
NA	Polyamine (Trade Secret)	No data.	No data.	No data.
100-51-6	Benzenemethanol	No data.	No data.	No data.
84852-15-3	Phenol, 4-nonyl-, branched	No data.	No data.	No data.
2855-13-2	Isophoronediamine	No data.	No data.	No data.
68609-08-5	Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer	No data.	No data.	No data.
69-72-7	Salicylic acid	No data.	No data.	No data.

Printed: 08/12/2020 Revision: 08/12/2020

Page: 4

Supersedes Revision: 05/05/2020

Respiratory Equipment

(Specify Type):

Normally when good engineering controls are used, no respiratory protection is needed. However, if cured product is abraded by sanding or grinding use a NIOSH approved air-purifying respirator. Where risk assessment shows air-purifying respirators are

appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where

air purifying respirators may not provide adequate protection.

Eye Protection: Safety glasses, or goggles.

Protective Gloves: Nitrile rubber and Neoprene are recommended.

Other Protective Clothing: Where splashing is possible, full chemically resistant protective clothing, safety glasses

or face shield and boots are required.

Engineering Controls

(Ventilation etc.):

Good general ventilation should be sufficient to control airborne levels. Safety shower

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash

and eye bath.

Work/Hygienic/Maintenance

Practices:

thoroughly after handling.

Environmental Exposure

Controls:

Avoid runoff into storm sewers and ditches which lead to waterways.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Odor: amine-like.

Appearance: Liquid. amber.

Melting Point:NEBoiling Point:NEDecomposition Temperature:NE

Autoignition Pt: No data.

Flash Pt: > 200.00 F (93.3 C) Method Used: Pensky-Marten Closed Cup

Explosive Limits: LEL: NE UEL: NE

Specific Gravity (Water = 1): ~ 1.008

Density: ~ 8.41 LB/GL

Vapor Pressure (vs. Air or

mm Hg):

NE

Vapor Density (vs. Air = 1): NE
Evaporation Rate: NE
Solubility in Water: Soluble

Saturated Vapor NE

Concentration:

Percent Volatile: N.A.
VOC / Volume: NP

SAFETY DATA SHEET

Page: 5 514-Regular Cure Hardener- Part B Supersedes Revision: 05/05/2020

Printed: 08/12/2020 Revision: 08/12/2020

10. Stability and Reactivity

Avoid: acids, alkalis, oxidizing agents. Reactivity:

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Extreme temperatures.

Instability:

Incompatibility - Materials To Avoid strong acids, bases, and oxidizing agents.

Avoid:

Hazardous Decomposition Or Carbon dioxide, Carbon monoxide, Nitrogen oxides.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Polymerization:

Conditions To Avoid -Will not undergo hazardous polymerization in normal storage conditions.

Hazardous Reactions:

11. Toxicological Information

May cause sensitization by skin contact. Toxicological Information: Irritation or Corrosion:

Symptoms related to

Corrosive! Damages skin and eyes.

Toxicological

Skin: Contact with substance may cause severe burns to skin. Symptoms may include

redness, edema, drying, defatting and cracking of the skin.

Characteristics: Eyes: Symptoms may include discomfort or pain, excess blinking and tear production,

with marked redness and swelling of the conjunctiva. Permanent eye damage including

blindness could result.

Inhalation: Inhalation of vapors/fumes causes respiratory irritation with throat discomfort,

coughing or difficulty breathing.

Chronic Toxicological

Effects:

Skin sensitization.

12. Ecological Information

General Ecological

Information:

Avoid release to the environment. Do not empty into drains. May be hazardous to the

environment if released in large quantities.

Results of PBT and vPvB

assessment:

No data available.

Persistence and

Not readily biodegradable.

Degradability:

Bioaccumulative Potential: No data available.

Mobility in Soil: not reported, unknown.

13. Disposal Considerations

Waste Disposal Method: Incinerate or dispose of unused material, residues and containers in a licensed facility in

accordance with all applicable local, state and federal regulations. Do not discharge

substance/product into sewage system.

SAFETY DATA SHEET

514-Regular Cure Hardener- Part B

Printed: 08/12/2020 Revision: 08/12/2020

Page: 6

Supersedes Revision: 05/05/2020

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquids, n.o.s. (Polyoxypropylene Diamine, Phenol, 4-nonyl-, branched)

(Isophoronediamine)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN1760 Packing Group: III

Precautionary Label: Corrosive! Damages skin and eyes. Avoid skin and eye contact. May cause eye and

skin irritation. May cause skin sensitization. Wear protective equipment and clothing.

Always read MSDS/SDS before use.



MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Corrosive liquids, n.o.s. (Polyoxypropylene Diamine, Phenol, 4-nonyl-, branched)

UN Number: 1760 Packing Group:

Hazard Class: 8 - CORROSIVE

IMDG EMS Number: FA,SB IMDG MFAG Number:

IMDG EMS Page: Yes

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Corrosive liquids, n.o.s. (Polyoxypropylene Diamine, Phenol, 4-nonyl-, branched)

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No	No	No
NA	Polyamine (Trade Secret)	No	No	No
100-51-6	Benzenemethanol	No	No	No
84852-15-3	Phenol, 4-nonyl-, branched	No	No	No
2855-13-2	Isophoronediamine	No	No	No
68609-08-5	Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with bisphenol A diglycidyl ether homopolymer	No	No	No
69-72-7	Salicylic acid	No	No	No

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard
'Hazard Categories' defined [X] Yes [] No Chronic (delayed) Health Hazard
for SARA Title III Sections [] Yes [X] No Fire Hazard
311/312 as indicated: [] Yes [X] No Sudden Release of Pressure Hazard
[] Yes [X] No Reactive Hazard

Page: 7 Printed: 08/12/2020 Revision: 08/12/2020

Supersedes Revision: 05/05/2020

16. Other Information

Revision Date: 08/12/2020

Hazard Rating System:

HEALTH 3
FLAMMABILITY 1
PHYSICAL 0
PPE X

HMIS:

Additional Information About CA=CIRCA NA=NOT AVAILABLE NE=NOT ESTABLISHED NR=NOT REGULATED

This Product: NP= NOT APPLICABLE PR=PROPRIETARY TS=TRADE SECRET ?=UNKNOWN.

Company Policy or

Disclaimer:

The information contained in this MSDS is taken from sources believed to be accurate as of the date hereof; however the Key Resin Company makes no expressed or implied

warranty in respect to the accuracy of the information or the suitability of the

recommendations, and assumes no liabilities to any user thereof.